



CERTIFICATION - W07, W08, W09

EN ISO 13688:2013/A:2021 – Protective Plaining - this international standard specifies the general requirements for the implementation of protective workwear in terms of ergonomics, safety, size designation, wearout, marking of protective Plaining and the information which is supplied by the protective Plaining manufacturer.

EN 14404:2004+A1:2010 – Personal protective equipment - Knee pads for kneeling work - The standard specifies requirements for knee protection for kneeling work where there is a risk of injury due to surface mechanical effects. The protectors must be harmless to health and safe for the users.



WATER RESISTANT TREATMENT (W55, W56)

The waterproof TPU membrane resists moisture penetration very well while maintaining the flexibility of the entire material. Water column 10 000 mm.



BREATHABLE MATERIAL (W55, W56)

The 3-layer material helps to regulate water vapour, reliably moving it away from the body and creating a feeling of comfort. Breathability of $4,000 \text{ g/m}^2/24 \text{ hours}$.



THERMAL REFLECTIVE ZONE (W55, W56)

Thermo reflective zone on the back.



ANTI-SOILING FINISH (W07, W08, W09)

The ability of the top material to repel liquid, dirt and greasy dirt.



CORDURA (W07, W08, W09)

The use of CORDURA® material makes the trousers even more resistant, especially against punctures or tearing.



VERTEX W55

Winter softshell jacket men's

S-3XL

Softshell: 94 % polyester, 6 % elastane; TPU membrane;

Micro fleece: 100 % polyester, antipilling finish;

mid layer and lining: 100 % polyester, waterproof 10 000 mm, breathable 4 000 g/m 2 /24h, 320 g/m 2















removable, adjustable hood with lining







thermal reflective zone

inner breast zip pocket

hood and bottom hem adjustable by elastic drawstring



VERTEX W07

Work trousers men's 44-62; prolonged - 48-58

Oxford, 66 % polyamide, 34 % cotton, anti-soiling finish, 100 % polyamid CORDURA® 310 g/m², 210 g/m² CORDURA®





curved elastic waistband hammer loop CORDURA crotch gusset with 6 % elastane anti-soiling finish • contrast elements highly resistant material \odot CORDURA® in colour 01 back knee ventilation \odot • pants can be lengthened EN ISO 13688/A1 EN 14404 + A1 (type 2, only with A99) 94 01 93 23







SHIELD A99
Knee pads can be found

on page 229

nund

knee pads pockets 10 m

10 multifunctional pockets



VERTEX CAMO W56

Winter softshell jacket men's

S-3XL

Softshell: 94 % polyester, 6 % elastane; TPU membrane; Micro fleece: 100 % polyester, antipilling finish; mid layer and lining: 100 % polyester, waterproof 10 000 mm, breathable $4 000 \text{ g/m}^2/24\text{h}$, 320 g/m^2















removable, adjustable hood with lining











inner breast zip pocket



hood and bottom hem adjustable by elastic drawstring



VERTEX CAMO W09

Work trousers men's

44-62; prolonged - 48, 50, 52, 54, 56, 58 - 48-58

Plain weave, 65 % polyester, 35 % cotton, anti-soiling finish, CORDURA® 100 % polyamide 280 g/m², 210 g/m² CORDURA®











SHIELD A99 Knee pads can be found on page 229



knee pads pockets



10 multifunctional pockets



VERTEX W41

Stretch fleece men's

S-3XL

Stretch fleece, 95 % micro polyester, 5 % elastane, 280 g/m²







30 WASH





full-length reverse coil zipper with chin protection

cuffs with hole for thumb



VERTEX WO8

Work jeans men's
44-62; prolonged - 48-58
Twill, 100 % cotton, anti-soiling finish, 100 % polyamid CORDURA® (only A9 colour)
430 g/m², 210 g/m² CORDURA®

















knee pads pockets



10 multifunctional pockets



VERTEX W42

Sweatshirt men's M-4XL

Double face interlock knit, 80 % cotton,20 % polyester, 300 g/m²













VERTEX HOODIE W43

Sweatshirt men's M-4XL

Double face interlock knit, 80 % cotton,20 % polyester, 300 g/m 2











RANGER W53, W03

Jacket men's · Work trousers 44/46, 48/50, 52/54, 56/58, 60/62

Plain weave, 65 % polyester, 35 % cotton, CORDURA® 100 % polyamide 270 g/m², CORDURA® 210 g/m²

jacket: full-length molded zipper with chin protection and flap \cdot 7 multifunctional pockets

- \cdot rib knit sleeve cuffs with 3 % elastane \cdot lower hem adjustable by snap buttons on the sides \cdot double stitching for extra durability
 - · retroreflective elements · highly resistant fabric CORDURA® in O1 colour

work trousers: waistband with elastic sides \cdot 10 multifunctional pockets

 \cdot double stitching for extra durability \cdot highly resistant fabric CORDURA® in O1 colour \cdot retroreflective elements



205

RANGER W54, W06

Work vest men's · Shorts 44/46, 48/50, 52/54, 56/58, 60/62

Plain weave, 65 % polyester, 35 % cotton, CORDURA® 100 % polyamide 270 g/m², CORDURA® 210 g/m²

Work Vest: full-length molded zipper with chin protection and flap \cdot 6 multifunctional pockets

- \cdot lower hem adjustable by snap buttons on the sides \cdot double stitching for extra durability
 - · retroreflective elements · highly resistant fabric CORDURA® in O1 colour

Shorts: waistband with elastic sides \cdot 10 multifunctional pockets

· double stitching for extra durability · highly resistant fabric CORDURA® in 01 colour · retroreflective elements





RANGER WO4

Work bib trousers men's 44/46, 48/50, 52/54, 56/58, 60/62

Plain weave, 65 % polyester, 35 % cotton, 100 % polyamide CORDURA®, 270 g/m², 210 g/m² CORDURA®

- · waistband with elastic back \cdot 14 multifunctional pockets
- double stitching for extra durability highly resistant fabric CORDURA $^{\!\circ}$ in 01 colour
 - · retroreflective elements





WU4 44/46, 48/50, 52/54, 56/58, 60/62





WOODY WO2

Work bib trousers men's 44/46, 48/50, 52/54, 56/58, 60/62 Twill, 100 % cotton, 270 g/m²

- \cdot waistband with elastic back \cdot 8 multifunctional pockets
- \cdot double stitching for extra durability \cdot retroreflective elements





W02

44/46, 48/50, 52/54, 56/58, 60/62

WOODY W51, W01

Jacket men's - Work trousers 44/46, 48/50, 52/54, 56/58, 60/62 Twill, 100 % cotton, 270 g/m²

jacket: full-length molded zipper with flap · folds on the back part

- · 8 multifunctional pockets · rib knit sleeve cuffs with 3 % elastane
- \cdot the lower side hem with elastic band \cdot double stitching for extra durability \cdot retroreflective elements

work trousers: waistband with elastic sides \cdot 7 multifunctional pockets

- \cdot plastic D-ring and carabiner for keys and ID cards \cdot double stitching for extra durability
 - · retroreflective elements



WOODY W52, W05

Work vest men's · Shorts 44/46, 48/50, 52/54, 56/58, 60/62 Twill, 100 % cotton, 270 g/m²

work vest: full-length molded zipper with flap \cdot folds on the back part \cdot 8 multifunctional pockets


 \cdot the lower side hem with elastic band \cdot double stitching for extra durability \cdot retroreflective elements

shorts: waistband with elastic sides \cdot 7 multifunctional pockets

 \cdot double stitching for extra durability \cdot retroreflective elements







RESIST RO1, RO2

T-shirt men's · women's S-4XL · S-3XL

Single Jersey, 100 % pre-shrunk cotton, 160 g/m²

• pre-shrunk cotton resistant to higher temperatures • neckline trimmed with 1:1 rib knit fabrics men's: cut with side seams women's: slight fit cut with side seams



RESIST HEAVY RO3, RO4

T-shirt men's · women's $S-4XL \cdot S-3XL$

Single Jersey, 100 % pre-shrunk cotton, 200 g/m 2

 \cdot pre-shrunk cotton resistant to higher temperatures \cdot neckline trimmed with 1:1 rib knit fabric men's – cut with side seams · women's – slight fit cut with side seams









RESIST HEAVY POLO R20, R21

Polo shirt men's · women's S-4XL · XS-3XL

Pique, 100 % pre-shrunk cotton, 200 g/m²

• preshrunk cotton resistant to higher temperatures • 1:1 rib knit collar and sleeve hems • separated pocket for easy branding men's: cut with slits in the side seams • women's: slight fit cut with slits in side seams



RESIST LS RO5

T-shirt unisex S-3XL

Single Jersey, 100 % pre-shrunk cotton, 160 g/m²

 $\cdot\;$ pre-shrunk cotton resistant to higher temperatures \cdot cut with side seams


· neckline trimmed with 1:1 rib knit fabric · 1:1 rib knit cuff







R05 S-3X





STREET LS ¹³⁰

T-shirt unisex S-4XL


Single Jersey, 100 % cotton, 180 g/m 2

 $\cdot\,$ cut with side seams \cdot narrow 1:1 rib knit neckline hem with 5 % elastane

• 1:1 rib knit cuff with 5 % elastane



130



COLORMIX 109


T-shirt unisex S-4XL

Single Jersey, 100 % cotton, 200 g/m 2

cut with side seams
1:1 rib knit neckline hem with 5 % elastane



109 S-4XL



BASE ROG

T-shirt unisex S-6XL

Single Jersey, 100 % cotton, 160 g/m²

· durable, ideal for work environment · tubular cut · 1:1 rib knit neckline hem



RECALL RO7

T-shirt unisex S-6XL

Single Jersey, 100 % cotton, 200 g/m²

 \cdot durable, ideal for work environment \cdot tubular cut \cdot 1:1 rib knit neckline hem with 5 % elastane



* Material composition may differ: colour 12 - 85 % cotton, 15 % viscose

217

RESERVE R22, R23

Polo shirt men's \cdot women's S-3XL \cdot XS-2XL Pique, 65 % cotton, 35 % polyester, 200 g/m²

· durable, ideal for work environment · 1:1 rib knit collar and sleeve hems with double relief stripe men's: cut with side seams · women's: slight fit cut with side seams



R23: XS size available in colours 00

^{*} Material composition may differ: colour 12 - 85 % cotton, 15 % viscose

JACKET 501, 504

Fleece men's · women's S-4XL · XS-2XL

Fleece, 100 % polyester, antipilling finish, 280 g/m²

· insulating fabric · full-length molded zipper · pockets with molded zipper · bottom hem adjustable by elastic drawstring · sleeve hems with elastic band · women's - slight fit cut



JACKET HI-Q ⁵⁰⁶

Fleece unisex S-3XL

Fleece, 100 % polyester, antipilling finish, Complementary material: Rip Stop, 100 % polyamide, inner PU coating, 360 g/m²

 \cdot highly insulating fabric \cdot shoulders covered by a waterproof, abrasion-resistant fabric \cdot full-length molded zipper \cdot pockets with molded zipper \cdot bottom hem with elastic band \cdot sleeve hems adjustable by velcro



40 WASH

0

00 36 94 01 02 05 06 69 11 07 23

219

EFFECT 530

Fleece unisex

S-3XL

Fleece, 100 % polyester, antipilling finish; complementary material: plain weave, 100 % polyamide, 360 g/m²

- · highly insulating fabric · shoulders and elbows covered by a waterproof, abrasion-resistant fabric
 - \cdot full-length molded zipper \cdot pockets with molded zipper
 - \cdot sleeves ended by cuffs \cdot bottom hem adjustable by elastic drawstring




CASUAL 550

Softshell jacket men's

Knitted softshell: 100 % polyester; micro fleece - 100 % polyester Softshell: 96 % polyester, 4 % elastane; micro fleece - 100 % polyester, Lining: 100 % polyester, 350 g/m²

 \cdot 2-layer sofshell \cdot combination of knitted and plain fabric \cdot full-length reverse coil zipper \cdot sleeve hems adjustable by velcro \cdot pockets with reverse coil zipper \cdot 2 inner pockets \cdot contrast elements





NEXT 518

Fleece vest unisex XS-4XL

Fleece, 100 % polyester, antipilling finish, 280 g/m²

- · insulating fabric · full-length coil zipper
- \cdot welt pockets with coil zipper \cdot bottom hem adjustable by elastic drawstring




BODY WARMER 509

Vest unisex S-4XL

Rip Stop, 100 % polyamide, inner silver coating; lining: Fleece, 100 % polyester, antipilling finish, 300 g/m 2

- \cdot full-length molded zipper with chin protection \cdot bottom hem adjustable by elastic drawstring
 - · inner pocket with velcro · access for branding in side lining · contrast elements





HV DROP 5V3

Softshell jacket unisex M-4XL

Softshell: 100 % polyester; breathable membrane; micro fleece, 100 % polyester waterproof 14 000 mm, breathable 2 000 g/m 2 /24h, 300 g/m 2

- \cdot high visibility clothing in two-colour design \cdot waterproof, breathable, fluorescent fabric
 - · segmented retroreflective bands \cdot back part with a yoke
- \cdot full-length reverse coil zipper with chin protection \cdot sleeve hems adjustable by velcro
- \cdot welt pockets with reverse coil zipper \cdot inner breast zip pocket with access for branding
 - · bottom hem adjustable by elastic drawstring · hanging loop























HV GUARD 4 IN 1 5V2

Jacket unisex

M-4XL


Upper jacket: Oxford, 100 % polyester with PU finish, retroreflective bands 3M, 210 g/m² Inner fleece: Polar fleece, 100 % polyester, retroreflective bands 3M, antipilling finish on both sides, 280 g/m²

· high visibility clothing \cdot multipurpose use 4 in 1 in two-colour design



Upper jacket:

- \cdot waterproof, breathable, fluorescent fabric \cdot full-length molded zipper with flap
 - · removable hood with reinforced peak, hidden in the collar
 - · hood and bottom hem adjustable by elastic drawstring
- \cdot removable sleeves \cdot sleeve hems with elastic band, adjustable with velcro
- \cdot multifunctional pockets \cdot taped seams \cdot access for branding in back lining



EN 343+A1, EN ISO 20471, EN ISO 13688

Innerfleece:

- \cdot removable inner fleece jacket \cdot insulating fluorescent fabric
- \cdot full-length molded zipper \cdot pockets with molded zipper
 - · trimmed by elastic stripe



EN ISO 20471, EN ISO 13688

HV ESSENTIAL 4V6

Sweatshirt unisex

M-3XL

French terry, brushed inner side, 100 % polyester, retroreflective bands 3M, 300 $\rm g/m^2$

· high visibility clothing · straight cut with side seams · 1:1 rib knit bottom hem, cuffs and neckline



HV FLEECE JACKET 5V1

Fleece unisex M-3XL

Fleece, 100 % polyester, antipilling finish, retroreflective bands 3M, 280 g/m²

 \cdot high visibility clothing \cdot insulating fluorescent fabric \cdot full-length molded zipper in 01 colour \cdot welt pockets with molded zipper \cdot bottom hem adjustable by elastic drawstring \cdot sleeve hems with elastic band

227



HV DRY 1V8

T-shirt unisex

Grid knit, 100 % polyester, segmented retroreflective bands, 150 $\rm g/m^2$

 \cdot quick-drying fluorescent fabric \cdot segmented retroreflective bands \cdot cut with side seams \cdot 1:1 rib knit neckline hem



HV PROTECT 1V9

T-shirt unisex S-3XL

Interlock pique, 55 % cotton, 45 % polyester, retroreflective bands 3M, 175 $\rm g/m^2$

 \cdot fluorescent polyester on the outer side \cdot cotton on the inner side · cut with side seams · 1:1 rib knit neckline hem



HV RUNWAY 2V9

Polo unisex S-3XL

Interlock pique, 55 % cotton, 45 % polyester, retroreflective bands 3M, 175 g/m 2

- high visibility clothing fluorescent polyester on the outer side cotton on the inner side
 - \cdot cut with side seams \cdot 1:1 rib knit collar with a contrast stripe



HV BRIGHT 9V3, 9V4

Safety vest unisex \cdot kids

M (FH 160 - 176 cm), 2XL (FH 184 - 192 cm) · 4-6 years/104-128 cm, 6-8 years/116-140 cm Warp knit, 100 % polyester, retroreflective bands, 120 g/m²

· high visibility clothing · velcro fastening · trimming in 01 colour · retroreflective bands



HV REFLEX 3V5

Cap unisex adjustable

Twill, 50 % cotton, 50 % polyester, 240 g/m²

- \cdot quick-drying fluorescent fabric \cdot bonded 2 front panels \cdot stitched, slightly curved peak
 - \cdot embroidered air holes \cdot sweatband \cdot size adjustable by velcro




SHIELD A99

Knee pads unisex uni \cdot 170 x 240 mm (can be shortened) \cdot 1 pcs. = 1 pair 100 % polyethylene

- · light, ergonimically shaped · usable into the knee pockets
- \cdot suitable for work when kneeling \cdot anti-penetration protection





Selected garments from the collection HIGH VISIBILITY (HV) Rimeck correspond to the international standards, which determine the optimal form of protective Plaining with high visibility. Certified garments from the HV collection are supplied with a leaflet providing information on proper storage, treatment and purpose.

EN ISO 20471:2013 – High visibility Plaining – this international standard specifies requirements for Plaining with high visibility, which is able to visually indicate the presence of a user for vehicles or other mechanized means of transport under any light conditions, both in daylight and when illuminated by headlights of vehicles at night.

High visibility Plaining are made of fluorescent material, and in combination with reflective stripes are divided into three categories:

Category 3 – the highest level of protection – the minimum required substrate surface is 0.80 m² and 0.20 m² of retroreflective material.

Category 2 - the medium level of protection - the minimum required substrate surface is 0.50 m² and 0.13 m² of retroreflective material.

Category 1 - the minimum level of protection - the minimum required substrate surface 0.14 m² and 0.10 m² of retroreflective material.

EN 1150:1999 – Protective Plaining – caution Plaining with high visibility for non-professional use – standard specifies requirements for optical properties of caution high visibility Plaining suitable for adults or teenagers, not for professionals. The garments are designed for visual indication of the presence of users in all light conditions, both in daylight in urban lighting and when illuminated by headlights of vehicles at night.

EN 343:2003+A1:2007 – Protective clothes – Rain protection - European standard determining the properties of fabrics and seams of a protective garment. The chracteristics of these are measured for the outside of the clothes. After achieving the specific permeability requirments and reaching the appropriate certification, it provides protection against water penetration and resistence against steam penetration for the wearer.

EN ISO EN ISO 13688:2013/A1:2021 – Protective Plaining - this international standard specifies the general requirements for the implementation of protective workwear in terms of ergonomics, safety, size designation, aging, marking of protective Plaining and the information which is supplied by the protective Plaining manufacturer.

EN 14404:2004+A1:2010 – Personal protective equipment - Knee pads for kneeling work - The standard specifies requirements for knee protection for kneeling work where there is a risk of injury due to surface mechanical effects. The protectors must be harmless to health and safe for the users.

TYPE 2 – foam plastic or other filling material in trouser pockets, or permanently attached to trousers.

LEVEL 0 – only suitable for use on a flat surface - does not protect against punctures

LEVEL 1 – suitable for use on flat or uneven surfaces – protection against puncture with a force of at least $100 \pm 5 \, \text{N}$

LEVEL 2 – suitable for use on flat or uneven surfaces in demanding conditions - protection against puncture with a force of at least 250 ± 10 N